مشفى ابن النفيس

شعبة الجراحة الصدرية

د. سعد حموية

حالة سريرية 1

المريض : محمد العمر : 37 المهنة : عامل بناء

غير مدخن غير كحولي

س م : Φ

س د : Φ

س ج : فتق إربي أيمن منذ 20 عام

س ع : DM عند الأب , HTN عند الأم

س ت : Φ

القصة المرضية :

راجع المريض شعبة الجراحة الصدرية **بقصة ضيق نفس و ألم صدري منذ حوالي 3 أشهر**

مع **نقص وزن** حوالي 10 k.g من حوالي شهر

لا حرارة لا عروءات لا تعرق ليلي

تم إجراء CXR



تم إجراء CT صدر



وجدت كتلة على حساب المنصف الأمامي تمتد إلى جوف الصدر الأيمن

الاجراء التالي ؟؟؟؟

تم اجراء تنظير جنب أيمن للمريض

أخذ خزعة من الكتلة وارسالها الى التشريح المرضي

نتيجة التشريح المرضي :

Thymoma , Mixed Type

Mediastinal mass: surgical biopsies

الدكتور سعد حموية المحترم

PATHOLOGY REPORT

DIAGNOSIS

Mediastinal mass; surgical biopsies:
Histologic features are in keeping with: **Thymoma, mixed type.**

- The tumor involves the entire submitted tissue with no adjacent pulmonary or fibroadipose tissue in the received material to evaluate tumor invasiveness.
- Radiologic correlation and immunostains are recommended for full evaluation.

GROSS DESCRIPTION

Labeled mediastinal mass; needle biopsy, consists of soft tissue fragments measuring 2 x 1 x 0.5 cm in the aggregates. The entire specimen is embedded for histologic examination.

- **الاجراء التالي ؟؟؟؟؟**

- تم طلب مرنان منصف
- لم يتمكن المريض من اجراءه

الاجراء التالي ؟؟؟؟

- تم تحضير المريض للعمل الجراحي واجراء كافة الاستشارات المطلوبة

بالاستقصاء الجراحي وجدت كتلة ورمية ملتصقة على الأجوف العلوي والأبهر الصاعد و مرتشحة بشدة بالفصين العلوي والمتوسط وتصل إلى أوعية الفصين

- تم تحرير الكتلة عن الأجوف العلوي والأبهر الصاعد واستئصال الفصين العلوي والمتوسط من الرئة اليمنى وارسالهما للدراسة النسيجية



- تم تحرير العصب الحجابي الذي وجد مرتشحاً بالورم وقصه وارسال عينة للدراسة النسيجية وربط النهايتين القريبة والبعيدة
- وجد جزء من الورم بقطر 1 سم على التامور تم استئصاله وارساله للدراسة النسيجية
- وجد جزء من الورم على جدار الصدر الخلفي تم استئصاله وارساله للدراسة النسيجية
- تم ارسال عقد من سرة الرئة اليمنى والمنصف للدراسة النسيجية

العصب الحجابي

الفصين العلوي والمتوسط مع الورم

❖تقرير التشريح المرضي النهائي :

- Tymoma نمط B3
- حجم الورم 9 سم
- الورم يغزو النسيج الرئوي
- العصب الحجابي سليم
- الورم يغزو التامور
- عقد المنصف مصابة
- عقد سرة الرئة سليمة

Syrian Arab Republic
Ministry Of Health
General Assembly Of Damascus Hosp.

الجمهورية العربية السورية
وزارة الصحة
الهيئة العامة لمستشفى دمشق

PATHOLOGY REPORT

الطبيب المرسل : د. سعد | العمر: 37 | الاسم: محمد

Specimen # : SU-21-3276 | تاريخ اصدار التقرير: | تاريخ استلام العينة: 28-Aug-24

Clinical History:

Gross Examination:

A-Labeled as right upper and middle lobes lung resection : Received is the product of right pulmonectomy measuring 17 x 10.5 x 3 cm with an attached tan, brown, encapsulated mass near the hilum measuring 9 x 6 x 2 cm, located 1.5 cm from the main bronchus. Cut surface is white, pink, necroting. Cut sectioning of the mass shows a white, firm area measuring 3 cm in greatest dimension. The remaining pulmonary tissue is unremarkable.
B- Received is a fragment of tan, white, brown, soft tissue measuring 4.5 x 1.3 cm.
C- Received are three fragments of tan, brown, rubbery tissue measuring in aggregate 3 x 2.5 x 0.5 cm. Submitted entirely for examination.
D- Received are two fragments of tan, brown, soft tissue measuring in aggregate2.6 x 1.3 x 0.4 cm. Submitted entirely for examination.
E- Received are two fragments of white, dark, rubbery tissue measuring in aggregate 2 x 1 x 0.2 cm. Submitted entirely for examination.

Diagnosis:

A- RIGHT LUNG, UPPER TWO LOBES; EXCISION:
THYMOMA, WHO CLASSIFICATION TYPE B3, SHOWING HEMORRHAGE AND CALCIFICATIONS
IMMUNOHISTOCHEMICAL STAINS RECOMMENDED FOR CONFIRMATION
THE TUMOR MEASURES 9 CM IN GREATEST DIMENSION.
THE TUMOR INVADES THE VISCERAL PLEURA, NO DIRECT LUNG PARANCHYMAL INVASION IDENTIFIED
MARGINS ARE INVOLVED
B- PHRENIC NERVE; RESECTION:
NO EVIDENCE OF MALIGNANCY.
C- PERICARDIUM; BIOPSIES :
INVOLVED BY TUMOR
D- MEDIASTINUM, BIOPSIES:
INVOLVED BY TUMOR
E- LUNG, HILAR LYMPH NODES; DISSECTION :
NEGATIVE FOR METASTATIC TUMOR (0/3)

CXR اليوم الأول من الجراحة



CXR بعد شهرين من العمل الجراحي



شكرا لحسن استماعكم